#### ORDER: APPROVE 4-YEAR ROAD PLAN FROM THE ROAD DEPARTMENT

Motion was made by Mike Roberts, duly seconded by Chad McLarty, to approve 4-year road plan from the Road Department.

The vote on the motion was as follows:

Supervisor Kevin Frye, voted yes Supervisor Jeff Busby, voted yes Supervisor David Rikard, voted yes Supervisor Chad McLarty, voted yes Supervisor Mike Roberts, voted yes

After the vote, President Busby, declared the motion carried, this the  $4^{th}$  day of February, 2019.

Jeff Bysby, President

Board of Supervisors

Sherry Wall, Chancery Clerk

|                       | INICIO CCCI           | 1.11    | Livoral Caparataion    | · .      |
|-----------------------|-----------------------|---------|------------------------|----------|
|                       | Micro Seal            | 1 70    | Northpoint Subdivision |          |
|                       | Hot Mix               | 1.8     | 471 16 Ft. 1.8 Hot Mix | 471      |
|                       | Level & Reseal        | 1.7     | 18 Ft.                 | 518      |
|                       | Hot Mix               | .96     | 16 Ft.                 | 186      |
|                       | Hot Mix               | .40     | 18 Ft.                 | 213      |
|                       | Matt & Seal           | .067    | 14 Ft.                 | 278      |
|                       | Level & Reseal        | .85     | 16 Ft.                 | 479      |
|                       | Hot Mix               | .23     | 12 Ft.                 | 516      |
|                       | Hot Mix               | .54     | 14 Ft.                 | 184      |
|                       | Hot Mix               | .66     | 18 Ft.                 | 172      |
|                       | Level & Reseal        | 1.28    | 16 Ft.                 | 447      |
|                       | Level & Reseal        | 1.38    | 16 Ft.                 | 475      |
|                       | Hot Mix               | .26     | 12 Ft.                 | 513      |
|                       | Hot Mix               | 1.35    | East Wellsgate - 24'   |          |
|                       | Level & Reseal        | 1.58    | 16 Ft.                 | 252      |
|                       | Level & Reseal        | .75     | 12 Ft.                 | 286      |
|                       | Level & Reseal        | 1.7     | 16 Ft.                 | 452      |
|                       | Hot Mix               | .61     | 16 Ft.                 | 514      |
|                       | Hot Mix               | .38     | 14 Ft.                 | 133      |
|                       | Hot Mix               | .90     | 14 Ft.                 | 256      |
|                       | Hot Mix               |         | 12 Ft                  | 448      |
|                       | Matt & Seal           | 1.22    | 14 Ft.                 | 424      |
|                       | Hot Mix               |         | 16 Ft.                 | 504      |
|                       | Level & Reseal        | 1.80    | 14 Ft.                 | 158      |
|                       | Matt & Seal           | .08     | 14 Ft.                 | 2056     |
|                       | Hot Mix               | 1.34    | 14 Ft.                 | 411      |
|                       |                       | (MILES) |                        |          |
| PROPOSED TYPE OF WORK | PROPOSED TYPE OF WORK | LENGTH  | WIDTH                  | ROAD NO. |

Expanded, Extended And / Or Newly Constructed in Accordance With Matters Involving Safety, Growth Needs, Improvements, Emergencies, And State Aid Inspection Reports Subject To The Approval Of The County Board Of Supervisors

Prepared By:

| MDTH  LENGTH (MILES)  16 Ft   |                       | i lot with     | .08     | 16 Ft. | 380      |
|---|-----------------------|----------------|---------|--------|----------|
| WIDTH   |                       |                | 63      |        |          |
| WIDTH         LENGTH (MILES)         PROPOSED TYPE OF WORK           16 Ft         .28         Matt & Seal           20 Ft         .49         Hot Mix           14 Ft         .20         Hot Mix           16 Ft         .36         Level & Reseal           16 Ft         .32         Hot Mix           14 Ft         .80         Re Matt & Seal           14 Ft         .40         Hot Mix           16 Ft         .73         Hot Mix           16 Ft         1.72         Hot Mix           16 Ft         1.72         Hot Mix           14 Ft         2.0         Matt & Seal           14 Ft         2.9         Level & Reseal           14 Ft         .30         Hot Mix           16 Ft         .32         Hot Mix           16 Ft         .30         Hot Mix           16 Ft         .32         Hot Mix           16 Ft         .32         Hot Mix           16 Ft         .43         Hot Mix           16 Ft         .43         Hot Mix           16 Ft         .50         Level & Reseal           16 Ft         2.12         Hot Mix           16 Ft                   |                       | Hot Mix        | .50     | 18 Ft  | 371      |
| WIDTH         LENGTH (MILES)         PROPOSED TYPE OF WORK           16 Ft.         28         Matt & Seal           20 Ft.         49         Hot Mix           14 Ft.         3.6         Level & Reseal           16 Ft.         3.6         Level & Reseal           14 Ft.         30         Re Matt & Seal           14 Ft.         40         Hot Mix           18 Ft.         73         Hot Mix           16 Ft.         1.72         Hot Mix           16 Ft.         1.72         Hot Mix           14 Ft.         2.0         Matt & Seal           14 Ft.         2.0         Matt & Seal           14 Ft.         30         Hot Mix           14 Ft.         30         Hot Mix           16 Ft.         32         Hot Mix           16 Ft.         43         Hot Mix           16 Ft.         2.12         Hot Mix           16 Ft.         2.12         Hot Mix           16 Ft.         2.0         Matt & Seal                        |                       | Hot Mix        | .28     | 14 Ft. | 148      |
| WIDTH         LENGTH (MILES)         PRÓPOSED TYPE OF WORK           16 Ft.         28         Matt & Seal           20 Ft.         49         Hot Mix           14 Ft.         20         Hot Mix           16 Ft.         3.6         Level & Reseal           16 Ft.         .32         Hot Mix           14 Ft.         .40         Hot Mix           14 Ft.         .40         Hot Mix           16 Ft.         1.0         Level & Reseal           16 Ft.         1.72         Hot Mix           16 Ft.         1.72         Hot Mix           14 Ft.         2.0         Matt & Seal           14 Ft.         2.0         Hot Mix           15 Ft.         3.3         Hot Mix           16 Ft.         3.0         Hot Mix           16 Ft.         3.4         Hot Mix           16 Ft.         43         Hot Mix           1 |                       | Matt & Seal    | .20     | 16 Ft. | 210      |
| WIDTH         LENGTH (MILES)         PROPOSED TYPE OF WORK           16 Ft         .28         Matt & Seal           20 Ft         .49         Hot Mix           14 Ft         .20         Hot Mix           16 Ft         .36         Level & Reseal           16 Ft         .30         Re Matt & Seal           14 Ft         .40         Hot Mix           14 Ft         .40         Hot Mix           16 Ft         .73         Hot Mix           16 Ft         1.72         Hot Mix           14 Ft         2.0         Matt & Seal           14 Ft         2.9         Level & Reseal           14 Ft         .29         Level & Reseal           14 Ft         .29         Level & Reseal           14 Ft         .30         Hot Mix           16 Ft         .30         Hot Mix           16 Ft         .32         Hot Mix           16 Ft         .43         Hot Mix                              |                       | Hot Mix        | 2.4     | 16 Ft. | 271      |
| WIDTH         LENGTH (MILES)         PROPOSED TYPE OF WORK           16 Ft         .28         Matt & Seal           20 Ft         .49         Hot Mix           14 Ft         .20         Hot Mix           16 Ft         .36         Level & Reseal           16 Ft         .32         Hot Mix           14 Ft         .80         Re Matt & Seal           14 Ft         .40         Hot Mix           16 Ft         .73         Hot Mix           16 Ft         1.72         Hot Mix           14 Ft         0.7         Hot Mix           14 Ft         0.7         Hot Mix           14 Ft         2.0         Matt & Seal           14 Ft         3.0         Hot Mix           15 Ft         .30         Hot Mix           16 Ft         .32         Hot Mix           16 Ft         .43         Hot Mix           16 Ft         .43         Hot Mix           16 Ft         .43         Hot Mix                                       |                       | Hot Mix        | 2.12    | 18 Ft. | 444      |
| WIDTH         LENGTH (MILES)         PROPOSED TYPE OF WORK           16 Ft         28         Matt & Seal           20 Ft         .49         Hot Mix           14 Ft         .20         Hot Mix           16 Ft         3.6         Level & Reseal           14 Ft         .80         Re Matt & Seal           14 Ft         .40         Hot Mix           18 Ft         .73         Hot Mix           16 Ft         1.0         Level & Reseal           16 Ft         1.72         Hot Mix           14 Ft         2.0         Matt & Seal           14 Ft         2.0         Matt & Seal           14 Ft         2.0         Matt & Seal           14 Ft         2.9         Level & Reseal           14 Ft         .30         Hot Mix           15 Ft         .30         Hot Mix           16 Ft         .32         Hot Mix           16 Ft         .43         Hot Mix  |                       | Level & Reseal | .50     | 16 Ft. | 376      |
| WIDTH         LENGTH (MILES)         PROPOSED TYPE OF WORK           16 Ft         .28         Matt & Seal           20 Ft         .49         Hot Mix           14 Ft         .20         Hot Mix           16 Ft         .36         Level & Reseal           14 Ft         .80         Re Matt & Seal           14 Ft         .40         Hot Mix           18 Ft         .73         Hot Mix           16 Ft         1.0         Level & Reseal           16 Ft         1.72         Hot Mix           16 Ft         1.72         Hot Mix           14 Ft         2.0         Matt & Seal           14 Ft         2.0         Matt & Seal           14 Ft         2.0         Matt & Seal           14 Ft         2.9         Level & Reseal           14 Ft         .30         Hot Mix           15 Ft         .30         Hot Mix           16 Ft         .30         Hot Mix  |                       | Hot Mix        | .43     | 16 Ft  | 288      |
| WIDTH         LENGTH (MILES)         PROPOSED TYPE OF WORK           16 Ft         28         Matt & Seal           20 Ft         49         Hot Mix           14 Ft         20         Hot Mix           16 Ft         3.6         Level & Reseal           16 Ft         .32         Hot Mix           14 Ft         .40         Hot Mix           16 Ft         1.0         Level & Reseal           16 Ft         1.72         Hot Mix           16 Ft         1.72         Hot Mix           14 Ft         2.0         Matt & Seal           14 Ft         3.0         Hot Mix           16 Ft         3.0         Hot Mix   |                       | Hot Mix        | .18     | 12 FT. | 276      |
| WIDTH         LENGTH (MILES)         PROPOSED TYPE OF WORK           16 Ft         .28         Matt & Seal           20 Ft         .49         Hot Mix           14 Ft         .20         Hot Mix           16 Ft         .36         Level & Reseal           14 Ft         .32         Hot Mix           14 Ft         .40         Hot Mix           18 Ft         .73         Hot Mix           16 Ft         1.72         Hot Mix           16 Ft         1.72         Hot Mix           16 Ft         1.72         Hot Mix           14 Ft         2.0         Matt & Seal           14 Ft         2.0         Matt & Seal           14 Ft         2.0         Matt & Seal           14 Ft         2.0         Matt & Reseal           14 Ft         3.0         Hot Mix  |                       | Hot Mix        | 32      | 16 Ft. | 270      |
| WIDTH         LENGTH (MILES)         PROPOSED TYPE OF WORK           16 Ft         .28         Matt & Seal           20 Ft         .49         Hot Mix           14 Ft         .20         Hot Mix           16 Ft         .36         Level & Reseal           14 Ft         .32         Hot Mix           14 Ft         .80         Re Matt & Seal           14 Ft         .40         Hot Mix           18 Ft         .73         Hot Mix           16 Ft         1.72         Hot Mix           16 Ft         1.72         Hot Mix           16 Ft         0.7         Hot Mix           14 Ft         2.0         Matt & Seal           14 Ft         .29         Level & Reseal           14 Ft         .29         Level & Reseal  |                       | Hot Mix        | .30     | 14 Ft. | 458      |
| WIDTH         LENGTH (MILES)         PROPOSED TYPE OF WORK           16 Ft         .28         Matt & Seal           20 Ft         .49         Hot Mix           14 Ft         .20         Hot Mix           16 Ft         .36         Level & Reseal           14 Ft         .32         Hot Mix           14 Ft         .80         Re Matt & Seal           14 Ft         .73         Hot Mix           16 Ft         1.72         Hot Mix           16 Ft         1.72         Hot Mix           16 Ft         1.72         Hot Mix           16 Ft         0.7         Hot Mix           16 Ft         0.7         Hot Mix           14 Ft         2.0         Matt & Seal           14 Ft         2.0         Matt & Seal   |                       | Hot Mix        | .78     | 18 Ft. | 362      |
| WIDTH         LENGTH (MILES)         PROPOSED TYPE OF WORK           16 Ft         .28         Matt & Seal           20 Ft         .49         Hot Mix           14 Ft         .20         Hot Mix           16 Ft         3.6         Level & Reseal           14 Ft         .32         Hot Mix           14 Ft         .80         Re Matt & Seal           14 Ft         .40         Hot Mix           18 Ft         .73         Hot Mix           16 Ft         1.72         Hot Mix           16 Ft         1.72         Hot Mix           16 Ft         0.7         Hot Mix           14 Ft         2.0         Matt & Seal  |                       | Level & Reseal | .29     | 14 Ft. | 347      |
| WIDTH         LENGTH (MILES)         PROPOSED TYPE OF WORK           16 Ft         .28         Matt & Seal           20 Ft         .49         Hot Mix           14 Ft         .20         Hot Mix           16 Ft         3.6         Level & Reseal           14 Ft         .32         Hot Mix           14 Ft         .80         Re Matt & Seal           14 Ft         .80         Hot Mix           18 Ft         .73         Hot Mix           16 Ft         .73         Hot Mix           16 Ft         1.72         Hot Mix           16 Ft         0.7         Hot Mix   |                       | Matt & Seal    | 2.0     | 14 Ft. | 267      |
| WIDTH         LENGTH (MILES)         PROPOSED TYPE OF WORK           16 Ft         .28         Matt & Seal           20 Ft         .49         Hot Mix           14 Ft         .20         Hot Mix           16 Ft         3.6         Level & Reseal           14 Ft         .32         Hot Mix           14 Ft         .80         Re Matt & Seal           14 Ft         .40         Hot Mix           18 Ft         .73         Hot Mix           16 Ft         1.0         Level & Reseal           16 Ft         1.72         Hot Mix  |                       | Hot Mix        | 0.7     | 16 Ft  | 269      |
| WIDTH         LENGTH (MILES)         PROPOSED TYPE OF WORK           16 Ft         .28         Matt & Seal           20 Ft         .49         Hot Mix           14 Ft         .20         Hot Mix           16 Ft         3.6         Level & Reseal           14 Ft         .32         Hot Mix           14 Ft         .80         Re Matt & Seal           14 Ft         .40         Hot Mix           18 Ft         .73         Hot Mix           16 Ft         .73         Hot Mix  |                       | Hot Mix        | 1.72    | 16 Ft. | 381      |
| WIDTH         LENGTH (MILES)         PROPOSED TYPE OF WORK           16 Ft         .28         Matt & Seal           20 Ft         .49         Hot Mix           14 Ft         .20         Hot Mix           16 Ft         3.6         Level & Reseal           16 Ft         3.2         Hot Mix           14 Ft         .80         Re Matt & Seal           14 Ft         .40         Hot Mix           18 Ft         .73         Hot Mix  |                       | Level & Reseal |         | 16 Ft. | 308      |
| WIDTH         LENGTH (MILES)         PROPOSED TYPE OF WORK           16 Ft         .28         Matt & Seal           20 Ft         .49         Hot Mix           14 Ft         .20         Hot Mix           16 Ft         3.6         Level & Reseal           14 Ft         .80         Re Matt & Seal           14 Ft         .40         Hot Mix  |                       | Hot Mix        |         | 18 Ft. | 309      |
| WIDTH         LENGTH (MILES)         PROPOSED TYPE OF WORK           16 Ft         .28         Matt & Seal           20 Ft         .49         Hot Mix           14 Ft         .20         Hot Mix           16 Ft         .36         Level & Reseal           14 Ft         .80         Re Matt & Seal  |                       | Hot Mix        |         | 14 Ft. | 230      |
| WIDTH         LENGTH (MILES)         PROPOSED TYPE OF WORK           16 Ft         .28         Matt & Seal           20 Ft         .49         Hot Mix           14 Ft         .20         Hot Mix           16 Ft         3.6         Level & Reseal           16 Ft         .32         Hot Mix   |                       | Re Matt & Seal |         | 14 Ft. | 417      |
| WIDTH         LENGTH (MILES)         PROPOSED TYPE OF WORK           16 Ft         .28         Matt & Seal           20 Ft         .49         Hot Mix           14 Ft         .20         Hot Mix           16 Ft         36         Level & Reseal  |                       | Hot Mix        |         | 16 Ft  | 483      |
| WIDTH   LENGTH   PROPOSED TYPE OF WORK   (MILES)     16 Ft   .28   Matt & Seal     20 Ft   .49   Hot Mix     14 Ft   .20   Hot Mix  |                       | Level & Reseal | 3.6     | 16 Ft. | 367      |
| WIDTH   LENGTH   PROPOSED TYPE OF WORK   (MILES)     16 Ft   .28   Matt & Seal   20 Ft   .49   Hot Mix  |                       | Hot Mix        |         | 14 Ft. | 156      |
| WIDTH LENGTH PROPOSED TYPE OF WORK  (MILES)  16 Ft. 28 Matt & Seal  |                       | Hot Mix        |         | 20 Ft. | 221      |
| WIDTH LENGTH PROPOSED TYPE OF WORK (MILES)  |                       | Matt & Seal    |         | 16 Ft  | 282      |
| PROPOSED TYPE OF WORK   |                       |                | (MILES) |        | ROAD NO. |
|   | PROPOSED TYPE OF WORK |                | I ENGTH | WIDTL  | 2012     |

All State Aid And County Paved And Gravel Roads Shall Be Maintained Expanded, Extended And / Or Newly Constructed In Accordance With Matters Involving Safety, Growth Needs, Improvements, Emergencies, And State Aid Inspection Reports Subject To The Approval Of The County Board Of Supervisors

Prepared By:

|                       |                       | 2       |                           |             |
|-----------------------|-----------------------|---------|---------------------------|-------------|
|                       |                       |         |                           | 1           |
|                       | Hot Mix               | .55     | 1.4 Ft                    | 484         |
|                       | Hot Mix               | .82     | 16 Ft.                    | 329         |
|                       | Hot Mix               | 1.0     | 16 Ft.                    | 308         |
|                       | Hot Mix               | .75     | 2/16 From Church To 249   | 245         |
|                       | Level & Reseal        | 2.02    | 18 Ft.                    | 233         |
|                       | Hot Mix               | .28     | 14 Ft.                    | 3017        |
|                       | Matt & Seal           |         | 18 Ft.                    | 342         |
|                       | Hot Mix               | .12     | 12 Ft.                    | 120         |
|                       | Hot Mix               | 1.5     | 2/18 From 251 To Cemetery | 255         |
|                       | Hot Mix               | .10     |                           | Timber Cove |
|                       | Hot Mix               | 1.2     | 16 Ft.                    | 477         |
|                       | Watt & Seal           |         | 18 Ft                     | 3019        |
|                       | Hot Mix               | .69     |                           | 1017        |
|                       | Hot Mix               | 3.4     |                           | 208         |
|                       | Hot Mix               | 1.16    |                           | Timber Land |
|                       | Hot Mix               | 1.35    | 18 Ft.                    | 493         |
|                       | Level & Reseal        | 2.0     | 16 Ft.                    | 378         |
|                       | Hot Mix               | .24     | 18 Ft.                    | 1016        |
|                       | Hot Mix               | 1.50    | 20 Ft                     | 101         |
|                       | Matt & Seal           | .126    | 14 Ft.                    | 283         |
|                       | Hot Mix               | .96     | 16 Ft.                    | 3012        |
|                       | Matt & Seal           | .37     | 12 Ft.                    | 3009        |
|                       | Hot Mix               | .95     |                           | 139         |
|                       | Micro Seal            | 1.61    | Woodland Hills Dr. 20'    | 188         |
|                       | Level & Reseal        | 2.0     | 18 Ft.                    | 277         |
|                       |                       | (MILES) |                           | i           |
| PROPOSED LYPE OF WORK | PROPOSED TYPE OF WORK | LENGTH  | WIDTH                     | ROAD NO.    |
|                       |                       |         |                           |             |

All State Aid And County Paved And Gravel Roads Shall Be Maintained Expanded, Extended And / Or Newly Constructed In Accordance With Matters Involving Safety, Growth Needs, Improvements Emergencies, And State Aid Inspection Reports Subject To The Approval Of The County Board Of Supervisors Prepared By:

|            |                        |         |                       | BRODOSED TYPE OF WORK |
|------------|------------------------|---------|-----------------------|-----------------------|
| ROAD NO.   | WIDTH                  | (MILES) | PROPOSED LIFE OF WORK |                       |
| 231        | 18 Ft.                 | 1.29    | Hot Mix               |                       |
|            | Whispering Valley Cove | .47     | Micro Seal            |                       |
| 2014       | 14 Ft.                 | .40     | Level & Reseal        |                       |
| 512        |                        | . 18    | Hot Mix               |                       |
| 442        | 18 Ft.                 | 2.00    | Double Matt &Seal     |                       |
| 437        | 16 Ft.                 | .98     | Hot Mix               |                       |
|            | Brentwood Cove         | .26     | Micro Seal            |                       |
| Bluff Cove | 20 Ft.                 | .092    | Hot Mix               |                       |
| 386        |                        | 2.28    | Level & Reseal        |                       |
| 4008       | 14 Ft.                 | .18     | Hot Mix               |                       |
| 433        | 16 Ft.                 | 1.33    | Hot Mix               |                       |
|            | Brentwood Lane         | .13     | Micro Seal            |                       |
| 3026       | 12 Ft                  | .19     | Hot Mix               |                       |
| 3013       |                        | .30     | Hot Mix               |                       |
| 462        | 16 Ft                  | 2.05    | Hot Mix               |                       |
|            | S. Lakes Drive         |         | Micro Seal            |                       |
|            | Sleepy Hollow Cove     | .30     | Micro Seal            |                       |
| 312        | 14 Ft.                 | .67     | Hot Mix               |                       |
| 335        |                        | .71     | Hot Mix               |                       |
| 413        | 16 Ft.                 | 1.68    | Micro Seal            |                       |
|            | Quiet Valley Cove      | .25     | Micro Seal            |                       |
| 3002       | 10 Ft.                 | .15     | Hot Mix               |                       |
|            | River Birch Lane       | .20     | Micro Seal            |                       |
| 4010       | 12 Ft.                 | .07     | Hot Mix               |                       |
|            | Holly Bluff Cove       | 71.     | Wilcio Seal           |                       |
| 308        |                        | 85      | HOLIVILX              |                       |

Expanded, Extended, And Or/ Newly Constructed in Accordance With Matters
Involving Safety, Growth Needs, Improvements, Emergencies, And State Aid
Inspection Reports Subject To The Approval Of The County Board Of Supervisors

Prepared By: