


**ORDER: APPROVE THE JULIP PHASE 1 PRELIMINARY SUBDIVISION PLAT
CONTINGENT UPON THE DEVELOPER, THE BUILDER OR THE LOT OWNER
PROVIDE A GRADING PLAN FOR PLANNING STAFF REVIEW AND APPROVAL
PRIOR TO THE ISSUANCE OF BUILDING PERMIT**

Motion was made by Scott Allen, duly seconded by Tim Gordon, to approve the Julip Phase 1 Preliminary Subdivision Plat contingent upon the developer, the builder or the lot owner provide a grading plan for planning staff review and approval prior to the issuance of building permit.


The vote on the motion was as follows:

Supervisor Brent Larson, absent
Supervisor John Morgan, voted yes
Supervisor Tim Gordon, voted yes
Supervisor Scott Allen, voted yes
Supervisor Greg Bynum, voted yes




After the vote, President Larson, declared the motion carried, this the 5th day of May, 2025.



Greg Bynum, Vice president
Board of Supervisors



Mike Roberts, Chancery Clerk



- LEGEND**
- PROJECT BOUNDARY
 - JULIE P. U.D. BOUNDARY
 - AREA #1
 - AREA #2
 - AREA #3
 - AREA #4
 - AREA #5
 - AREA #6
 - AREA #7
 - AREA #8
 - AREA #9
 - AREA #10
 - STATE V.T. - AREA #1

PHASE 1 LOCATION EXHIBIT
FOR
JULIE P.U.D.

LAFAYETTE COUNTY, MS
 APRIL 2025
 SCALE 1" = 500'

GRANBERRY & ASSOCIATES
 CIVIL ENGINEERING FIRM

DATE: 4/1/25
 DRAWN BY: J. [Name]
 CHECKED BY: [Name]

The vision for this site is a traditional Mediterranean-style apartment made up of several neighbouring lots that feature a mixture of new, smart, a variety of housing needs, provide passive and active recreation, and includes an interconnected network of streets, all in an arrangement that is sensitive to the natural features of the site.

The Illustrative Master Plan is the guiding plan for the proposed development and it presents the owner's vision. The illustrations supplement the plan and provide visual guidance on the proposed character of the development's different components. While all final standards shall be subject to the new development standards within this document, the layout of final standards shall be flexible to respond to physical site constraints, connectivity or site or local planning needs.

Variations in the design of the street and open space network, contextual issues, layout, and disposition of housing types shall be permitted, as long as the proposed variations reflect the intent of the intent on this document as well as the applicable development standards within.

70744 PND AREA: BSB ACRES

Form: Direct Spacing 40% minimum
Letters appear to be defined in all areas, natural and man-made.
Background and landscape, not under pressure of ownership and/or that
appear fully developed (extremely scarce).

THE

50% max 2.0% min

1980年12月
 1981年1月
 1981年2月
 1981年3月
 1981年4月
 1981年5月
 1981年6月
 1981年7月
 1981年8月
 1981年9月
 1981年10月
 1981年11月
 1981年12月
 1982年1月
 1982年2月
 1982年3月
 1982年4月
 1982年5月
 1982年6月
 1982年7月
 1982年8月
 1982年9月
 1982年10月
 1982年11月
 1982年12月
 1983年1月
 1983年2月
 1983年3月
 1983年4月
 1983年5月
 1983年6月
 1983年7月
 1983年8月
 1983年9月
 1983年10月
 1983年11月
 1983年12月
 1984年1月
 1984年2月
 1984年3月
 1984年4月
 1984年5月
 1984年6月
 1984年7月
 1984年8月
 1984年9月
 1984年10月
 1984年11月
 1984年12月
 1985年1月
 1985年2月
 1985年3月
 1985年4月
 1985年5月
 1985年6月
 1985年7月
 1985年8月
 1985年9月
 1985年10月
 1985年11月
 1985年12月
 1986年1月
 1986年2月
 1986年3月
 1986年4月
 1986年5月
 1986年6月
 1986年7月
 1986年8月
 1986年9月
 1986年10月
 1986年11月
 1986年12月
 1987年1月
 1987年2月
 1987年3月
 1987年4月
 1987年5月
 1987年6月
 1987年7月
 1987年8月
 1987年9月
 1987年10月
 1987年11月
 1987年12月
 1988年1月
 1988年2月
 1988年3月
 1988年4月
 1988年5月
 1988年6月
 1988年7月
 1988年8月
 1988年9月
 1988年10月
 1988年11月
 1988年12月
 1989年1月
 1989年2月
 1989年3月
 1989年4月
 1989年5月
 1989年6月
 1989年7月
 1989年8月
 1989年9月
 1989年10月
 1989年11月
 1989年12月
 1990年1月
 1990年2月
 1990年3月
 1990年4月
 1990年5月
 1990年6月
 1990年7月
 1990年8月
 1990年9月
 1990年10月
 1990年11月
 1990年12月
 1991年1月
 1991年2月
 1991年3月
 1991年4月
 1991年5月
 1991年6月
 1991年7月
 1991年8月
 1991年9月
 1991年10月
 1991年11月
 1991年12月
 1992年1月
 1992年2月
 1992年3月
 1992年4月
 1992年5月
 1992年6月
 1992年7月
 1992年8月
 1992年9月
 1992年10月
 1992年11月
 1992年12月
 1993年1月
 1993年2月
 1993年3月
 1993年4月
 1993年5月
 1993年6月
 1993年7月
 1993年8月
 1993年9月
 1993年10月
 1993年11月
 1993年12月
 1994年1月
 1994年2月
 1994年3月
 1994年4月
 1994年5月
 1994年6月
 1994年7月
 1994年8月
 1994年9月
 1994年10月
 1994年11月
 1994年12月
 1995年1月
 1995年2月
 1995年3月
 1995年4月
 1995年5月
 1995年6月
 1995年7月
 1995年8月
 1995年9月
 1995年10月
 1995年11月
 1995年12月
 1996年1月
 1996年2月
 1996年3月
 1996年4月
 1996年5月
 1996年6月
 1996年7月
 1996年8月
 1996年9月
 1996年10月
 1996年11月
 1996年12月
 1997年1月
 1997年2月
 1997年3月
 1997年4月
 1997年5月
 1997年6月
 1997年7月
 1997年8月
 1997年9月
 1997年10月
 1997年11月
 1997年12月
 1998年1月
 1998年2月
 1998年3月
 1998年4月
 1998年5月
 1998年6月
 1998年7月
 1998年8月
 1998年9月
 1998年10月
 1998年11月
 1998年12月
 1999年1月
 1999年2月
 1999年3月
 1999年4月
 1999年5月
 1999年6月
 1999年7月
 1999年8月
 1999年9月
 1999年10月
 1999年11月
 1999年12月
 2000年1月
 2000年2月
 2000年3月
 2000年4月
 2000年5月
 2000年6月
 2000年7月
 2000年8月
 2000年9月
 2000年10月
 2000年11月
 2000年12月
 2001年1月
 2001年2月
 2001年3月
 2001年4月
 2001年5月
 2001年6月
 2001年7月
 2001年8月
 2001年9月
 2001年10月
 2001年11月
 2001年12月
 2002年1月
 2002年2月
 2002年3月
 2002年4月
 2002年5月
 2002年6月
 2002年7月
 2002年8月
 2002年9月
 2002年10月
 2002年11月
 2002年12月
 2003年1月
 2003年2月
 2003年3月
 2003年4月
 2003年5月
 2003年6月
 2003年7月
 2003年8月
 2003年9月
 2003年10月
 2003年11月
 2003年12月
 2004年1月
 2004年2月
 2004年3月
 2004年4月
 2004年5月
 2004年6月
 2004年7月
 2004年8月
 2004年9月
 2004年10月
 2004年11月
 2004年12月
 2005年1月
 2005年2月
 2005年3月
 2005年4月
 2005年5月
 2005年6月
 2005年7月
 2005年8月
 2005年9月
 2005年10月
 2005年11月
 2005年12月
 2006年1月
 2006年2月
 2006年3月
 2006年4月
 2006年5月
 2006年6月
 2006年7月
 2006年8月
 2006年9月
 2006年10月
 2006年11月
 2006年12月
 2007年1月
 2007年2月
 2007年3月
 2007年4月
 2007年5月
 2007年6月
 2007年7月
 2007年8月
 2007年9月
 2007年10月
 2007年11月
 2007年12月
 2008年1月
 2008年2月
 2008年3月
 2008年4月
 2008年5月
 2008年6月
 2008年7月
 2008年8月
 2008年9月
 2


THE UNIVERSITY OF CHICAGO PRESS, 108 EAST 57TH STREET, NEW YORK, N.Y. 10022

THE UNIVERSITY OF CHICAGO PRESS

THE

1990年12月31日

These tests can be tested by the individual



KEY


- [illegible]

不
可
入


A natural depression, south of the highway, indicates that the highway is not a barrier to the movement of water. The highway is not a barrier to the movement of water, and the highway is not a barrier to the movement of water.

Colossal (\$1,000 per year)
Mature (25 plants/Flare only (40 per year)
Spoke (about 120 plants/Flare only (50 per year)
Two-family (6 year)
Spoke (about 120 plants/Flare only (50 per year)
Cone (about 120 plants/Flare only (50 per year)





JULFP SUBDIVISION - PHASE 1	
OXFORD, MISSISSIPPI	
OWNER: JULFP SUBDIVISION, INC.	DATE: 07/27/00
PROJECT: JULFP SUBDIVISION, INC.	DATE: 07/27/00
DESIGNER: JULFP SUBDIVISION, INC.	DATE: 07/27/00
APPROVED: JULFP SUBDIVISION, INC.	DATE: 07/27/00
DATE: 07/27/00	DATE: 07/27/00



LEGEND

1. LOT

2. EASEMENT

3. STREET

4. RESERVED AREA

5. OTHER

NOTES

1. ALL LOTS ARE TO BE CONVEYED TO THE JULFP SUBDIVISION, INC.

2. THE JULFP SUBDIVISION, INC. IS THE OWNER OF THE JULFP SUBDIVISION, INC.

3. THE JULFP SUBDIVISION, INC. IS THE OWNER OF THE JULFP SUBDIVISION, INC.

4. THE JULFP SUBDIVISION, INC. IS THE OWNER OF THE JULFP SUBDIVISION, INC.

5. THE JULFP SUBDIVISION, INC. IS THE OWNER OF THE JULFP SUBDIVISION, INC.

INDEX MAP

1. JULFP SUBDIVISION, INC.


2. JULFP SUBDIVISION, INC.

3. JULFP SUBDIVISION, INC.

4. JULFP SUBDIVISION, INC.

5. JULFP SUBDIVISION, INC.


SECTION A-A - ELEVATION - WALL - WEST SIDE SECTION



SECTION A-A - ELEVATION - WALL - WEST SIDE SECTION
 THIS ELEVATION IS FOR THE WALL ON THE WEST SIDE OF THE BUILDING. IT SHOWS THE LOCATION OF THE WINDOW OPENINGS AND THE DIMENSIONS OF THE WALL. THE WALL IS 10' HIGH AND 12' WIDE. THE WINDOW OPENINGS ARE 6' HIGH AND 4' WIDE. THE WALL IS CONCRETE AND THE WINDOW OPENINGS ARE WOOD FRAME.

- (1) SEE PLAN OF SECTION - ELEVATION OF 1-1
- (2) SEE PLAN OF SECTION - ELEVATION OF 2-2
- (3) SEE PLAN OF SECTION - ELEVATION OF 3-3
- (4) SEE PLAN OF SECTION - ELEVATION OF 4-4
- (5) SEE PLAN OF SECTION - ELEVATION OF 5-5
- (6) SEE PLAN OF SECTION - ELEVATION OF 6-6
- (7) SEE PLAN OF SECTION - ELEVATION OF 7-7
- (8) SEE PLAN OF SECTION - ELEVATION OF 8-8

CONCRETE CORE AND
 CUTTER TYPE 1 MODIFIED



SECTION A-A - ELEVATION - WALL - WEST SIDE SECTION
 THIS ELEVATION IS FOR THE WALL ON THE WEST SIDE OF THE BUILDING. IT SHOWS THE LOCATION OF THE WINDOW OPENINGS AND THE DIMENSIONS OF THE WALL. THE WALL IS 10' HIGH AND 12' WIDE. THE WINDOW OPENINGS ARE 6' HIGH AND 4' WIDE. THE WALL IS CONCRETE AND THE WINDOW OPENINGS ARE WOOD FRAME.

NOTES:
 1. ALL DIMENSIONS ARE IN FEET AND INCHES.
 2. ALL WALLS ARE CONCRETE.
 3. ALL FLOORS ARE CONCRETE.
 4. ALL ROOFS ARE FLAT.
 5. ALL FOUNDATIONS ARE CONCRETE.
 6. ALL EXTERIOR WALLS ARE FINISHED WITH STUCCO.
 7. ALL INTERIOR WALLS ARE FINISHED WITH PLASTER.
 8. ALL FLOORS ARE FINISHED WITH POLISHED CONCRETE.
 9. ALL ROOFS ARE FINISHED WITH FLAT ROOFING.
 10. ALL FOUNDATIONS ARE FINISHED WITH CONCRETE.

NO.	DESCRIPTION	DATE
1	FOUNDATION	10/1/77
2	WALLS	10/1/77
3	FLOORS	10/1/77
4	ROOFS	10/1/77
5	FOUNDATIONS	10/1/77
6	EXTERIOR WALLS	10/1/77
7	INTERIOR WALLS	10/1/77
8	FLOORS	10/1/77
9	ROOFS	10/1/77
10	FOUNDATIONS	10/1/77

APPROVED BY: [Signature]
 DATE: 10/1/77
 PROJECT: [Project Name]
 DRAWING NO.: [Drawing Number]