

ORDER: APPROVE MERION SUBDIVISION PHASE 1 FINAL SUBDIVISION PLAT

Motion was made by Brent Larson, duly seconded by Chad McLarty, to approve Merion Subdivision Phase 1 Final Subdivision Plat.

The vote on the motion was as follows:

Supervisor Brent Larson, voted yes
Supervisor Larry Gillespie, voted yes
Supervisor David Rikard, voted yes
Supervisor Chad McLarty, voted yes
Supervisor Mike Roberts, voted yes

After the vote, President Roberts, declared the motion carried, this the 3rd day of July, 2023.



Mike Roberts, President
Board of Supervisors



Sherry Wall, Chancery Clerk

**TOTAL AREA: 27.10 ACRES
49 RESIDENTIAL LOTS**

Data Table				Data Table			
Group	Unit	Item	Quantity	Group	Unit	Item	Quantity
C1	Unit	Item 1	100	C1	Unit	Item 1	100
C2	Unit	Item 2	200	C2	Unit	Item 2	200
C3	Unit	Item 3	300	C3	Unit	Item 3	300
C4	Unit	Item 4	400	C4	Unit	Item 4	400
C5	Unit	Item 5	500	C5	Unit	Item 5	500
C6	Unit	Item 6	600	C6	Unit	Item 6	600
C7	Unit	Item 7	700	C7	Unit	Item 7	700
C8	Unit	Item 8	800	C8	Unit	Item 8	800
C9	Unit	Item 9	900	C9	Unit	Item 9	900
C10	Unit	Item 10	1000	C10	Unit	Item 10	1000
C11	Unit	Item 11	1100	C11	Unit	Item 11	1100
C12	Unit	Item 12	1200	C12	Unit	Item 12	1200
C13	Unit	Item 13	1300	C13	Unit	Item 13	1300
C14	Unit	Item 14	1400	C14	Unit	Item 14	1400
C15	Unit	Item 15	1500	C15	Unit	Item 15	1500
C16	Unit	Item 16	1600	C16	Unit	Item 16	1600
C17	Unit	Item 17	1700	C17	Unit	Item 17	1700
C18	Unit	Item 18	1800	C18	Unit	Item 18	1800
C19	Unit	Item 19	1900	C19	Unit	Item 19	1900
C20	Unit	Item 20	2000	C20	Unit	Item 20	2000
C21	Unit	Item 21	2100	C21	Unit	Item 21	2100
C22	Unit	Item 22	2200	C22	Unit	Item 22	2200
C23	Unit	Item 23	2300	C23	Unit	Item 23	2300
C24	Unit	Item 24	2400	C24	Unit	Item 24	2400
C25	Unit	Item 25	2500	C25	Unit	Item 25	2500
C26	Unit	Item 26	2600	C26	Unit	Item 26	2600
C27	Unit	Item 27	2700	C27	Unit	Item 27	2700
C28	Unit	Item 28	2800	C28	Unit	Item 28	2800
C29	Unit	Item 29	2900	C29	Unit	Item 29	2900
C30	Unit	Item 30	3000	C30	Unit	Item 30	3000
C31	Unit	Item 31	3100	C31	Unit	Item 31	3100
C32	Unit	Item 32	3200	C32	Unit	Item 32	3200
C33	Unit	Item 33	3300	C33	Unit	Item 33	3300
C34	Unit	Item 34	3400	C34	Unit	Item 34	3400
C35	Unit	Item 35	3500	C35	Unit	Item 35	3500
C36	Unit	Item 36	3600	C36	Unit	Item 36	3600
C37	Unit	Item 37	3700	C37	Unit	Item 37	3700
C38	Unit	Item 38	3800	C38	Unit	Item 38	3800
C39	Unit	Item 39	3900	C39	Unit	Item 39	3900
C40	Unit	Item 40	4000	C40	Unit	Item 40	4000
C41	Unit	Item 41	4100	C41	Unit	Item 41	4100
C42	Unit	Item 42	4200	C42	Unit	Item 42	4200
C43	Unit	Item 43	4300	C43	Unit	Item 43	4300
C44	Unit	Item 44	4400	C44	Unit	Item 44	4400
C45	Unit	Item 45	4500	C45	Unit	Item 45	4500
C46	Unit	Item 46	4600	C46	Unit	Item 46	4600
C47	Unit	Item 47	4700	C47	Unit	Item 47	4700
C48	Unit	Item 48	4800	C48	Unit	Item 48	4800
C49	Unit	Item 49	4900	C49	Unit	Item 49	4900
C50	Unit	Item 50	5000	C50	Unit	Item 50	5000
C51	Unit	Item 51	5100	C51	Unit	Item 51	5100
C52	Unit	Item 52	5200	C52	Unit	Item 52	5200
C53	Unit	Item 53	5300	C53	Unit	Item 53	5300
C54	Unit	Item 54	5400	C54	Unit	Item 54	5400
C55	Unit	Item 55	5500	C55	Unit	Item 55	5500
C56	Unit	Item 56	5600	C56	Unit	Item 56	5600
C57	Unit	Item 57	5700	C57	Unit	Item 57	5700
C58	Unit	Item 58	5800	C58	Unit	Item 58	5800
C59	Unit	Item 59	5900	C59	Unit	Item 59	5900
C60	Unit	Item 60	6000	C60	Unit	Item 60	6000
C61	Unit	Item 61	6100	C61	Unit	Item	

Lyon Tables					
Line #	Length	Weight	Line #	Length	Weight
11	13.00'	3000' 00" 00" 00"	16	14.00'	3000' 00" 00" 00"
12	13.00'	3000' 00" 00" 00"	17	14.00'	3000' 00" 00" 00"
13	13.00'	3000' 00" 00" 00"	18	14.00'	3000' 00" 00" 00"
14	13.00'	3000' 00" 00" 00"	19	14.00'	3000' 00" 00" 00"
15	13.00'	3000' 00" 00" 00"	20	14.00'	3000' 00" 00" 00"
16	13.00'	3000' 00" 00" 00"	21	14.00'	3000' 00" 00" 00"
17	13.00'	3000' 00" 00" 00"	22	14.00'	3000' 00" 00" 00"
18	13.00'	3000' 00" 00" 00"	23	14.00'	3000' 00" 00" 00"
19	13.00'	3000' 00" 00" 00"	24	14.00'	3000' 00" 00" 00"
20	13.00'	3000' 00" 00" 00"	25	14.00'	3000' 00" 00" 00"

[illegible]

_____ day of _____ 19____

Answer: _____
Only if: _____

Not looking down any further? At all.

Approved and recommended for assignment by the LAFAYETTE COUNTY PLANNING COMMISSION on the _____ day of _____, 20____.

ADDRESS: _____
CITYMAN
LIFEWAYS COUNTY PLANNING COMMISSION

Case No. _____

US SENTENCE COURT, MASSACHUSETTS

ATTORNEY:

CHALMERS G. FINE

23 Temple Court, Boston, MA 02108
Tel: 617-552-9900

It is strongly suggested that the pilot is done and several other experiments with the study participants at the same time as the study participants are used to compare the results of the study with the results of the study.

It is to say that I have been using the term in regard to the grand strategy and the conduct of war, and that the first sign of the intervention must be that there is a change in the leadership.

Dr. _____
 Department of _____
 University of _____

The property located in Lapeere Co, Minnesota, as shown on the plat is subject to the existing easement which are set in the same recorded plat as indicated.

Quantity Ordered _____

upon the paper plates and duly recorded in Film Catalog. _____ 1966-_____

APL

PRELIMINARY



WILLIAMS ENGINEERING CONSULTANTS, INC.
Professional Engineers | Professional Land Surveyors

728 NORTH LAUREL BOULEVARD, SUITE 1A
P.O. BOX 1142 OXFORD, MISSISSIPPI 39091
1-800-345-9076

Signature
Street